





# Corning<sup>®</sup> CoolBox<sup>™</sup> Ice-free Systems


Corning CoolBox ice-free systems are bench-top cooling workstations that provide sample cooling or freezing without ice, electricity, or batteries.

CoolBox systems feature a reusable internal cartridge that provides hours of 0.5°C to 4.0°C cooling or -20°C to 0°C freezing.

CoolBox systems are versatile—they accommodate a variety of sample formats and temperatures, including being used with dry ice to create a portable snapfreezing station.




#### **How It Works**





- ▶ Freeze the XT Cooling Core in -20°C freezer
- ▶ Place frozen core in the base
- Rest the Corning CoolRack® or Corning CoolSink® module on the core (purchase separately)
- Module will equilibrate and maintain temperature via thermo-conductivity

### Corning<sup>®</sup> CoolBox<sup>™</sup> XT Cooling Core Performance

#### Over 10 hours with lid open, over 16 hours with lid closed







#### **Choose Your Corning CoolBox System**



	XT Starter	Corning CoolBox XT and 2XT
Holds tubes	Yes	Yes
Holds plates	Yes	Yes
0.5°C to 4°C cooling with lid open	4 hours	10 hours
0.5°C to 4°C cooling with lid closed	N/A	16 hours
<0°C freezing with lid open	d open N/A 5 hours	
<0°C freezing with lid closed	N/A	8 hours

#### **Ordering Information**

#### Corning® CoolBox™ Ice-free Systems


B		-		Corning Cat. No.				
	Size	<b>External Dimensions</b>	Internal Dimensions	Purple	Lime Green	Orange	Pink	Blue
	XT Starter, complete	16.2 x 12.1 x 6.1 cm	-	432014	_	-	_	_
7	XT Starter Holder only	16.2 x 12.1 x 6.1 cm	-	432015	-	_	_	_
7	XT Cooling Core, 0.5°C to 4°C	-	-	-	-	-	-	432081
	XT Freezing Core, below 0°C	-	-	-	-	-	_	432082
lacen	Corning CoolBox XT	20.0 x 16.0 x 15.0 cm	14.0 x 9.4 x 9.9 cm*	432021	432022	432023	432024	-
	XT Extension Collar	20.0 x 16.0 x 7.0 cm	14.0 x 9.4 x 7.0 cm	432083	432084	432085	432086	-
Manually .	Corning CoolBox 2XT	26.5 x 20.0 x 15.0 cm	21.0 x 14.3 x 13.4 cm*	432025	432026	432027	432028	_
	2XT Extension Collar	26.5 x 20.0 x 7.0 cm	21.0 x 14.3 x 7.0 cm	432087	432088	432089	432090	-

 $<sup>\</sup>ensuremath{^*}$  Internal height of open space when core is in the base.

#### **Corning Cryogenic Vial Grippers**

Cryogenic vial grippers feature a unique design to grasp internal or external-thread cryogenic vials. Grippers enable easy sorting and moving of vials while maintaining sterility and protecting fingers from frozen vials, dry ice, and liquid nitrogen.

Cat. No.	Description
432136	Cryogenic vial grippers, multi-color (5/cs)





**Warranty/Disclaimer:** Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications.



## **CORNING**

000 «Диаэм»

Москва ул. Магаданская, д. 7, к. 3 ■ тел./факс: (495) 745-0508 ■ sales@dia-m.ru

www.dia-m.ru

**С.-Петербург** +7 (812) 372-6040 spb@dia-m.ru

**Казань** +7(843) 210-2080 kazan@dia-m.ru **Новосибирск** +7(383) 328-0048 nsk@dia-m.ru

**Ростов-на-Дону** +7 (863) 303-5500 rnd@dia-m.ru **Воронеж** +7 (473) 232-4412 vrn@dia-m.ru

**Екатеринбург** +7 (912) 658-7606 ekb@dia-m.ru **Йошкар-Ола** +7 (927) 880-3676 nba@dia-m.ru

**Kemepobo** +7 (923) 158-6753 kemerovo@dia-m.ruu **Красноярск** +7(923) 303-0152 krsk@dia-m.ru

**Армения** +7 (094) 01-0173 armenia@dia-m.ru

